



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

I. *A Catalogue of the FIFTY PLANTS from Chelsea-Garden, presented to the Royal Society by the Company of Apothecaries, for the Year 1736. pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. & Soc. Reg. Præf. by Isaac Rand, Apothecary, F. R. S. Hort. Chel. Præf. ac Prælec. Botan.*

701. **A** BUTILON; *Lavateræ flore; fructu cristato.* Hort. Elt. 3.

702. *Alysson Alpinum hirsutum luteum.*  
T. Inst. 217.

*Leucoium luteum aizoides montanum.* Column. 2. 62.

703. *Amygdalus sativa.* C. B. 441.

704. *Anonis Caroliniana ramosissima erecta; floribus albis laxè spicatis; filiquis inflatis.*

705. *Bidens Americana triphylla; flore barbulis latis albis radiato.*

706. *Bidens Americana triphylla; flore luteo; capite folioso.*

*An Bidens Canadensis latifolia; flore luteo?*

T. Inst. 461.

707. *Bupleurum arborescens; Salicis folio.* T. Inst.

310.

*Seseli Ethiopicum, frutex.* Dod. 312.

708. *Calamintha, Pulegii odore, sive Nepeta.*  
C. B. 228.

*Calamintha Officin.* Lond.

T

709. Ca-

709. *Calamintha vulgaris*, vel *Officinarum Germaniæ*. C. B. 228.

710. *Calcitrapoides procumbens*; *Cichorii folio*; flore purpurascente. D. D'Isnard. Mem. Ac. Reg. Anno 1719.

711. *Campanula Canariensis*; *Atriplicis folio*; tuberosa radice. T. Inst. 109.

712. *Campanula pratensis*; flore conglomerato. C. B. 94.

713. *Carduus humilis alatus*, sive *Carduus Mariæ annuus*; folio lituris obscuris notato. H. C. Boerh. Ind. Alt. 136.

714. *Clinopodium Virginianum angustifolium*; floribus amplis luteis purpuro-maculatis, &c. Pluk. Phyt. Tab. 24. Fig. 1.

715. *Cistus ladanifera Cretica*; flore purpureo. T. Cor. 19.

716. *Cotyledon Afra*; folio crasso lato laciniato, flosculo aureo. Boerh. Ind. Alt. 288.

717. *Cupressus Virginiana*. *Tradescanti* Catal. 106.

*Cupressus Virginiana*; foliis *Acaciæ deciduis*. H. L. B. 107.

718. *Doria Ægyptia annua*; foliis trilobatis serratis.

719. *Doria parva annua*; foliis angustis leviter serratis.

720. *Echinopus Græcus*, tenuissime divisus & lanuginosus; capite minori cœruleo. T. Cor. 34.

721. *Filicula*; quæ *Adiantum nigrum*, *Officinarum*.

*Adiantum*, foliis longioribus pulverulentis; pediculo nigro. C. B. 355.

722. *Filix*

722. Filix saxatilis, foliis tenuioribus & acutioribus.

*Adiantum nigrum; pinnulis Cicutariæ divisa.* D. Bobart. Raii Syn. II. 50.

723. Filix saxatilis; caule tenui fragili. Raii Syn. Ed. II. 50. Pluk. Phyt. 180. f. 5.

724. Garidella; foliis tenuissime divisis. T. Inst. 655.

*Nigella Cretica; folio Fœniculi.* C. B. 146.

725. Heleniastrum Americanum latifolium ferratum.

626. Hieracium Chondrillæ folio, hirsutum. C. B. 127.

727. Linaria hederaceo folio glabro; seu Cymbalaria vulgaris. T. Inst. 169.

728. Lingua Cervina minima; folio obtuso undulato & serrato.

An *Lingua Cervina angustifolia lucida; folio serrato?* H. Reg. Par.

729. Lingua Cervina maxima; undulato folio, auriculato per basin. H. Reg. Par.

730. Lingua Cervina minor, crispa uno pediculo, trifolia. H. Reg. Par. Pluk. Phyt. 248. f. 2.

731. Lingua Cervina Officinarum. C. B. 353.

732. Nerion; floribus rubescentibus. C. B. 464.

733. Orchis; galea & alis fere cinereis. J. B. II. 755.

734. Parnassia palustris & vulgaris. T. Inst. 246.

*Gramen Parnassi; albo simplici flore.* C. B. 309.

735. Polypodium Cambro-britannicum; pinnulis ad margines laciniatis. Raii Syn. Ed. II. p. 35.

736. *Polypodium murale*, pinnulis ferratis. Petiver.  
Bot. Hort.

737. *Polygonatum latifolium*; flore majore odoro.  
C. B. 303.

738. *Polygonatum latifolium* vulgare. C. B. 303.

739. *Polygonatum majus* vulgari simile. J. B. III.  
529.

740. *Prenanthes Americana*; folio lato, bipennem  
militarem referente; flavescente flore.

741. *Pulegium minimum*; Serpylli facie.

742. *Salvia Africana* frutescens; folio *Scorodoniae*; flore violaceo. H. Amst. 2. 181.

743. *Sinapi Hispanicum pumilum album*. T. Inst.  
227.

744. *Sium Aromaticum*, Sifon Officinarum. T.  
Inst. 308.

*Sifon, quod Amomum Officinis nostris*. C. B.  
154.

745. *Tilia Caroliniana*; foliis acuminatis.

746. *Veronica*, *Cymbalæ* folio, verna. T. Inst.  
145.

*Alfine Hederulæ folio*. C. B. 250.

747. *Veronica*; flosculis oblongis pediculis insidentibus; *Chamædryos* foliis alternis. H. L. Bat. 622.

748. *Veronica mas supina* & vulgatissima. C. B.  
246.

749. *Virga Aurea*, seu *Solidago procerior*, Americana; caule multiplici. Pluk. Phyt. 235. f. 5.

750. *Virga Aurea Virginiana* annua. Zanon. 205.